

Reference:

- 6.0 GA = Initial NetBackup 6.0 release September, 2005
- 6.0 MP1 = Maintenance Pack 1 released December, 2005
- 6.0 MP2 = Maintenance Pack 2 released March, 2006
- 6.0 MP3 = Maintenance Pack 3 released July, 2006

Supported IBM DB2 Versions:

Recommend using the latest DB2 FixPaks, or these minimum revisions (subject to change):

- DB2 V7.1.x FixPak 10a or later
- DB2 V7.2.x FixPak 10a or later
- DB2 V8.1.x FixPak 3 or later

Oracle Agent

- (1) Oracle provides support for AIX 5L in 32-bit Kernel mode; see Oracle Metalink document ID 231901.1

SAP Agent

SAP agent supports Oracle and MaxDB based environments.

- (1) For SAP on Oracle the "version" column indicates the version of SAP Kernel.

The NBU SAP agent protects SAP Oracle environments by integrating with SAP BR*Tools.

SAP BR*Tools are a component of the SAP Kernel.

- (2) For SAP on MaxDB the "version" column indicates the version of MaxDB.

SAP environments based on MS SQL or DB2 databases are supported via the Netbackup MS SQL and DB2 agents respectively

Supported Microsoft Exchange, SQL Server and SharePoint Server

All Service Pack updates of Windows, Exchange, SQL Server & SharePoint Portal Server are supported

SQL Server

- (1) All SQL Server 2005 Editions are supported, except the Mobile Edition.
- (2) SQL Server 2000 (32-bit) on Windows 2003 x86-64 requires Microsoft SQL Server 2000 hotfix:
<http://support.microsoft.com/?kbid=913100>
- (3) SharePoint 2003 SP2 use of SQL Server 2005 is not yet supported; planned for 6.0 MP5

Lotus Notes

- (1) Domino 6.x is not supported for 32 bit kernel of Solaris. Refer to Domino Release Notes for details.

VERITAS Database Agents Support for NetBackup 6.0, Date: 07/26/2006

Platform	Operating System	OS Bit	Agent	Version	DB Bit	Start of Support (see Reference)
IBM	AIX5L (5.1)	32-bit	DB2 UDB; EE & EEE	7.1/7.2	32-bit	6.0 GA
IBM	AIX5L (5.1)	64-bit	DB2 UDB; EE & EEE	7.1/7.2	32-bit	6.0 GA
IBM	AIX5L (5.1)	64-bit	DB2 UDB; EE & EEE	7.1/7.2	64-bit	6.0 GA
IBM	AIX5L (5.1)	32-bit	DB2 UDB; EE & EEE	8.1	32-bit	6.0 GA
IBM	AIX5L (5.1)	64-bit	DB2 UDB; EE & EEE	8.1	32-bit	6.0 GA
IBM	AIX5L (5.1)	64-bit	DB2 UDB; EE & EEE	8.1	64-bit	6.0 GA
IBM	AIX5L (5.1)	32-bit	DB2 UDB; EE & EEE	8.2	32-bit	6.0 GA
IBM	AIX5L (5.1)	64-bit	DB2 UDB; EE & EEE	8.2	32-bit	6.0 GA
IBM	AIX5L (5.1)	64-bit	DB2 UDB; EE & EEE	8.2	64-bit	6.0 GA
IBM	AIX5L (5.2)	32-bit	DB2 UDB; EE & EEE	7.1/7.2	32-bit	6.0 GA
IBM	AIX5L (5.2)	64-bit	DB2 UDB; EE & EEE	7.1/7.2	32-bit	6.0 GA
IBM	AIX5L (5.2)	64-bit	DB2 UDB; EE & EEE	7.1/7.2	64-bit	6.0 GA
IBM	AIX5L (5.2)	32-bit	DB2 UDB; EE & EEE	8.1	32-bit	6.0 GA
IBM	AIX5L (5.2)	64-bit	DB2 UDB; EE & EEE	8.1	32-bit	6.0 GA
IBM	AIX5L (5.2)	64-bit	DB2 UDB; EE & EEE	8.1	64-bit	6.0 GA
IBM	AIX5L (5.2)	32-bit	DB2 UDB; EE & EEE	8.2	32-bit	6.0 GA
IBM	AIX5L (5.2)	64-bit	DB2 UDB; EE & EEE	8.2	32-bit	6.0 GA
IBM	AIX5L (5.2)	64-bit	DB2 UDB; EE & EEE	8.2	64-bit	6.0 GA
IBM	AIX5L (5.2)	64-bit	DB2 UDB; EE & EEE	8.2	64-bit	6.0 GA
IBM	AIX5L (5.3)	64-bit	DB2 UDB; EE & EEE	8.1	32-bit	6.0 GA
IBM	AIX5L (5.3)	64-bit	DB2 UDB; EE & EEE	8.1	64-bit	6.0 GA
IBM	AIX5L (5.3)	64-bit	DB2 UDB; EE & EEE	8.2	32-bit	6.0 GA
IBM	AIX5L (5.3)	64-bit	DB2 UDB; EE & EEE	8.2	64-bit	6.0 GA
HP PA-RISC	HP-UX 11.0	32-bit	DB2 UDB; EE & EEE	7.1/7.2	32-bit	6.0 GA
HP PA-RISC	HP-UX 11.0	64-bit	DB2 UDB; EE & EEE	7.1/7.2	32-bit	6.0 GA
HP PA-RISC	HP-UX 11.0	64-bit	DB2 UDB; EE & EEE	7.1/7.2	64-bit	6.0 GA
HP PA-RISC	HP-UX 11.0	32-bit	DB2 UDB; EE & EEE	8.1	32-bit	6.0 GA
HP PA-RISC	HP-UX 11.0	64-bit	DB2 UDB; EE & EEE	8.1	32-bit	6.0 GA
HP PA-RISC	HP-UX 11.0	64-bit	DB2 UDB; EE & EEE	8.1	64-bit	6.0 GA
HP PA-RISC	HP-UX 11.0	32-bit	DB2 UDB; EE & EEE	8.2	32-bit	6.0 GA
HP PA-RISC	HP-UX 11.0	64-bit	DB2 UDB; EE & EEE	8.2	32-bit	6.0 GA
HP PA-RISC	HP-UX 11.0	64-bit	DB2 UDB; EE & EEE	8.2	64-bit	6.0 GA
HP PA-RISC	HP-UX 11.11	32-bit	DB2 UDB; EE & EEE	7.1/7.2	32-bit	6.0 GA
HP PA-RISC	HP-UX 11.11	64-bit	DB2 UDB; EE & EEE	7.1/7.2	32-bit	6.0 GA
HP PA-RISC	HP-UX 11.11	64-bit	DB2 UDB; EE & EEE	7.1/7.2	64-bit	6.0 GA
HP PA-RISC	HP-UX 11.11	32-bit	DB2 UDB; EE & EEE	8.1	32-bit	6.0 GA
HP PA-RISC	HP-UX 11.11	64-bit	DB2 UDB; EE & EEE	8.1	32-bit	6.0 GA
HP PA-RISC	HP-UX 11.11	64-bit	DB2 UDB; EE & EEE	8.1	64-bit	6.0 GA
HP PA-RISC	HP-UX 11.11	32-bit	DB2 UDB; EE & EEE	8.2	32-bit	6.0 GA
HP PA-RISC	HP-UX 11.11	64-bit	DB2 UDB; EE & EEE	8.2	32-bit	6.0 GA
HP PA-RISC	HP-UX 11.11	64-bit	DB2 UDB; EE & EEE	8.2	64-bit	6.0 GA
HP IA64	HP-UX 11i v2 (11.23)	64-bit	DB2 UDB; EE & EEE	8.1	64-bit	6.0 GA
HP IA64	HP-UX 11i v2 (11.23)	64-bit	DB2 UDB; EE & EEE	8.2	64-bit	6.0 GA
LINUX x86	RedHat Enterprise AS/ES 2.1	32-bit	DB2 UDB; EE & EEE	8.1	32-bit	6.0 GA
LINUX x86	RedHat Enterprise AS/ES 2.1	32-bit	DB2 UDB; EE & EEE	7.1/7.2	32-bit	6.0 GA
LINUX x86	RedHat Enterprise AS/ES 3.0	32-bit	DB2 UDB; EE & EEE	8.1	32-bit	6.0 GA
LINUX AMD64/EM64T	RedHat Enterprise AS/ES 3.0	64-bit	DB2 UDB; EE & EEE	8.1	32-bit	6.0 GA
LINUX IA64	RedHat Enterprise AS/ES 3.0	64-bit	DB2 UDB; EE & EEE	8.1	64-bit	6.0 GA
LINUX x86	RedHat Enterprise AS/ES 3.0	32-bit	DB2 UDB; EE & EEE	8.2	32-bit	6.0 GA
LINUX AMD64/EM64T	RedHat Enterprise AS/ES 3.0	64-bit	DB2 UDB; EE & EEE	8.2	32-bit	6.0 GA
LINUX IA64	RedHat Enterprise AS/ES 3.0	64-bit	DB2 UDB; EE & EEE	8.2	64-bit	6.0 GA
LINUX x86	RedHat Enterprise AS/ES 4.0	32-bit	DB2 UDB; EE & EEE	8.2	32-bit	6.0 GA
LINUX AMD64/EM64T	RedHat Enterprise AS/ES 4.0	64-bit	DB2 UDB; EE & EEE	8.2	32-bit	6.0 GA
LINUX IA64	RedHat Enterprise AS/ES 4.0	64-bit	DB2 UDB; EE & EEE	8.2	64-bit	6.0 GA
SUN SPARC	Solaris 8	32-bit	DB2 UDB; EE & EEE	7.1/7.2	32-bit	6.0 GA
SUN SPARC	Solaris 8	64-bit	DB2 UDB; EE & EEE	7.1/7.2	32-bit	6.0 GA
SUN SPARC	Solaris 8	64-bit	DB2 UDB; EE & EEE	7.1/7.2	64-bit	6.0 GA
SUN SPARC	Solaris 8	32-bit	DB2 UDB; EE & EEE	8.1	32-bit	6.0 GA
SUN SPARC	Solaris 8	64-bit	DB2 UDB; EE & EEE	8.1	32-bit	6.0 GA
SUN SPARC	Solaris 8	64-bit	DB2 UDB; EE & EEE	8.1	64-bit	6.0 GA
SUN SPARC	Solaris 8	32-bit	DB2 UDB; EE & EEE	8.2	32-bit	6.0 GA
SUN SPARC	Solaris 8	64-bit	DB2 UDB; EE & EEE	8.2	32-bit	6.0 GA
SUN SPARC	Solaris 8	64-bit	DB2 UDB; EE & EEE	8.2	64-bit	6.0 GA
SUN SPARC	Solaris 8	64-bit	DB2 UDB; EE & EEE	8.2	64-bit	6.0 GA
SUN SPARC	Solaris 9	64-bit	DB2 UDB; EE & EEE	7.1/7.2	32-bit	6.0 GA
SUN SPARC	Solaris 9	64-bit	DB2 UDB; EE & EEE	7.1/7.2	64-bit	6.0 GA

VERITAS Database Agents Support for NetBackup 6.0, Date: 07/26/2006

Platform	Operating System	OS Bit	Agent	Version	DB Bit	Start of Support (see Reference)
SUN SPARC	Solaris 9	32-bit	DB2 UDB; EE & EEE	8.1	32-bit	6.0 GA
SUN SPARC	Solaris 9	64-bit	DB2 UDB; EE & EEE	8.1	32-bit	6.0 GA
SUN SPARC	Solaris 9	64-bit	DB2 UDB; EE & EEE	8.1	64-bit	6.0 GA
SUN SPARC	Solaris 9	32-bit	DB2 UDB; EE & EEE	8.2	32-bit	6.0 GA
SUN SPARC	Solaris 9	64-bit	DB2 UDB; EE & EEE	8.2	32-bit	6.0 GA
SUN SPARC	Solaris 9	64-bit	DB2 UDB; EE & EEE	8.2	64-bit	6.0 GA
SUN SPARC	Solaris 10	64-bit	DB2 UDB; EE & EEE	8.1	32-bit	6.0 GA
SUN SPARC	Solaris 10	64-bit	DB2 UDB; EE & EEE	8.1	64-bit	6.0 GA
SUN SPARC	Solaris 10	64-bit	DB2 UDB; EE & EEE	8.2	32-bit	6.0 GA
SUN SPARC	Solaris 10	64-bit	DB2 UDB; EE & EEE	8.2	64-bit	6.0 GA
LINUX x86	SuSE SLES 8	32-bit	DB2 UDB; EE & EEE	7.1/7.2	32-bit	6.0 GA
LINUX x86	SuSE SLES 8	32-bit	DB2 UDB; EE & EEE	8.1	32-bit	6.0 GA
LINUX x86	SuSE SLES 8	32-bit	DB2 UDB; EE & EEE	8.2	32-bit	6.0 GA
LINUX IA64	SuSE SLES 8	64-bit	DB2 UDB; EE & EEE	8.1	64-bit	6.0 GA
LINUX AMD64/EM64T	SuSE SLES 8	64-bit	DB2 UDB; EE & EEE	8.1	32-bit	6.0 GA
LINUX AMD64	SuSE SLES 8	64-bit	DB2 UDB; EE & EEE	8.2	32-bit	6.0 GA
LINUX x86	SuSE SLES 8	32-bit	DB2 UDB; EE & EEE	8.1	32-bit	6.0 GA
LINUX AMD64/EM64T	SuSE SLES 9	64-bit	DB2 UDB; EE & EEE	8.1	32-bit	6.0 GA
LINUX x86	SuSE SLES 9	32-bit	DB2 UDB; EE & EEE	8.2	32-bit	6.0 GA
LINUX AMD64/EM64T	SuSE SLES 9	64-bit	DB2 UDB; EE & EEE	8.2	32-bit	6.0 GA
LINUX IA64	SuSE SLES 9	64-bit	DB2 UDB; EE & EEE	8.2	64-bit	6.0 GA
Microsoft x86	Windows 2000	32-bit	DB2 UDB; EE & EEE	8.1	32-bit	6.0 GA
Microsoft x86	Windows 2000	32-bit	DB2 UDB; EE & EEE	7.1/7.2	32-bit	6.0 GA
Microsoft x86	Windows 2000	32-bit	DB2 UDB; EE & EEE	8.2	32-bit	6.0 GA
Microsoft x86	Windows 2003	32-bit	DB2 UDB; EE & EEE	7.1/7.2	32-bit	6.0 GA
Microsoft AMD64/EM64T	Windows 2003	32-bit	DB2 UDB; EE & EEE	8.1	32-bit	6.0 GA
Microsoft IA64	Windows 2003	64-bit	DB2 UDB; EE & EEE	8.1	64-bit	6.0 GA
Microsoft x86	Windows 2003	32-bit	DB2 UDB; EE & EEE	8.1	32-bit	6.0 GA
Microsoft AMD64/EM64T	Windows 2003	32-bit	DB2 UDB; EE & EEE	8.2	32-bit	6.0 GA
Microsoft IA64	Windows 2003	64-bit	DB2 UDB; EE & EEE	8.2	64-bit	6.0 GA
Microsoft x86	Windows 2003	32-bit	DB2 UDB; EE & EEE	8.2	32-bit	6.0 GA
IBM	AIX5L (5.1)	32-bit	Informix	IDS 9.30	32-bit	6.0 GA
IBM	AIX5L (5.1)	64-bit	Informix	IDS 9.30	64-bit	6.0 GA
IBM	AIX5L (5.1)	32-bit	Informix	IDS 9.40	32-bit	6.0 GA
IBM	AIX5L (5.1)	64-bit	Informix	IDS 9.40	64-bit	6.0 GA
IBM	AIX5L (5.1)	64-bit	Informix	IDS 7.31	64-bit	6.0 GA
IBM	AIX5L (5.1)	32-bit	Informix	IDS 7.31	32-bit	6.0 GA
IBM	AIX5L (5.1)	32-bit	Informix	IDS 8.21	32-bit	6.0 GA
IBM	AIX5L (5.1)	32-bit	Informix	XPS 8.30	32-bit	6.0 GA
IBM	AIX5L (5.1)	32-bit	Informix	XPS 8.32	32-bit	6.0 GA
IBM	AIX5L (5.1)	32-bit	Informix	XPS 8.40	32-bit	6.0 GA
IBM	AIX5L (5.1)	64-bit	Informix	XPS 8.40	64-bit	6.0 GA
IBM	AIX5L (5.2)	64-bit	Informix	IDS 10.00	32-bit	6.0 MP1
IBM	AIX5L (5.2)	64-bit	Informix	IDS 10.00	64-bit	6.0 MP1
IBM	AIX5L (5.2)	32-bit	Informix	IDS 9.40	32-bit	6.0 GA
IBM	AIX5L (5.2)	64-bit	Informix	IDS 9.40	64-bit	6.0 GA
IBM	AIX5L (5.3)	64-bit	Informix	IDS 10.00	32-bit	6.0 MP1
IBM	AIX5L (5.3)	64-bit	Informix	IDS 10.00	64-bit	6.0 MP1
IBM	AIX5L (5.3)	32-bit	Informix	IDS 9.40	32-bit	6.0 GA
IBM	AIX5L (5.3)	64-bit	Informix	IDS 9.40	64-bit	6.0 GA
HP PA-RISC	HP-UX 11.0	32-bit	Informix	IDS 9.20	32-bit	6.0 GA
HP PA-RISC	HP-UX 11.0	64-bit	Informix	IDS 9.20	32-bit	6.0 GA
HP PA-RISC	HP-UX 11.0	32-bit	Informix	IDS 9.21	32-bit	6.0 GA
HP PA-RISC	HP-UX 11.0	64-bit	Informix	IDS 9.21	32-bit	6.0 GA
HP PA-RISC	HP-UX 11.0	64-bit	Informix	IDS 9.21	64-bit	6.0 GA
HP PA-RISC	HP-UX 11.0	64-bit	Informix	IDS 9.30	64-bit	6.0 GA
HP PA-RISC	HP-UX 11.0	32-bit	Informix	IDS 9.40	32-bit	6.0 GA
HP PA-RISC	HP-UX 11.0	64-bit	Informix	IDS 9.40	64-bit	6.0 GA
HP PA-RISC	HP-UX 11.0	32-bit	Informix	IDS 7.24	32-bit	6.0 GA
HP PA-RISC	HP-UX 11.0	64-bit	Informix	IDS 7.24	32-bit	6.0 GA
HP PA-RISC	HP-UX 11.0	32-bit	Informix	IDS 7.30	32-bit	6.0 GA
HP PA-RISC	HP-UX 11.0	32-bit	Informix	IDS 7.31	32-bit	6.0 GA
HP PA-RISC	HP-UX 11.0	64-bit	Informix	IDS 7.31	64-bit	6.0 GA
HP PA-RISC	HP-UX 11.0	64-bit	Informix	IDS 7.31	32-bit	6.0 GA

VERITAS Database Agents Support for NetBackup 6.0, Date: 07/26/2006

Platform	Operating System	OS Bit	Agent	Version	DB Bit	Start of Support (see Reference)
HP PA-RISC	HP-UX 11.0	64-bit	Informix	XPS 8.30	32-bit	6.0 GA
HP PA-RISC	HP-UX 11.0	64-bit	Informix	XPS 8.31	64-bit	6.0 GA
HP PA-RISC	HP-UX 11.0	32-bit	Informix	XPS 8.32	32-bit	6.0 GA
HP PA-RISC	HP-UX 11.0	64-bit	Informix	XPS 8.32	64-bit	6.0 GA
HP PA-RISC	HP-UX 11.0	64-bit	Informix	XPS 8.40	64-bit	6.0 GA
HP PA-RISC	HP-UX 11.11	64-bit	Informix	IDS 10.00	32-bit	6.0 MP1
HP PA-RISC	HP-UX 11.11	64-bit	Informix	IDS 10.00	64-bit	6.0 MP1
HP PA-RISC	HP-UX 11.11	64-bit	Informix	IDS 9.21	64-bit	6.0 GA
HP PA-RISC	HP-UX 11.11	32-bit	Informix	IDS 9.21	32-bit	6.0 GA
HP PA-RISC	HP-UX 11.11	64-bit	Informix	IDS 9.21	32-bit	6.0 GA
HP PA-RISC	HP-UX 11.11	64-bit	Informix	IDS 9.30	64-bit	6.0 GA
HP PA-RISC	HP-UX 11.11	32-bit	Informix	IDS 9.40	32-bit	6.0 GA
HP PA-RISC	HP-UX 11.11	64-bit	Informix	IDS 9.40	64-bit	6.0 GA
HP PA-RISC	HP-UX 11.11	64-bit	Informix	IDS 7.30	64-bit	6.0 GA
HP PA-RISC	HP-UX 11.11	64-bit	Informix	IDS 7.30	32-bit	6.0 GA
HP PA-RISC	HP-UX 11.11	32-bit	Informix	IDS 7.30	32-bit	6.0 GA
HP PA-RISC	HP-UX 11.11	64-bit	Informix	IDS 7.31	32-bit	6.0 GA
HP PA-RISC	HP-UX 11.11	32-bit	Informix	IDS 7.31	32-bit	6.0 GA
HP PA-RISC	HP-UX 11.11	64-bit	Informix	IDS 7.31	64-bit	6.0 GA
HP PA-RISC	HP-UX 11.11	64-bit	Informix	XPS 8.31	64-bit	6.0 GA
HP PA-RISC	HP-UX 11.11	32-bit	Informix	XPS 8.32	32-bit	6.0 GA
HP PA-RISC	HP-UX 11.11	64-bit	Informix	XPS 8.32	64-bit	6.0 GA
HP PA-RISC	HP-UX 11.11	64-bit	Informix	XPS 8.40	64-bit	6.0 GA
HP IA64	HP-UX 11i v2 (11.23)	64-bit	Informix	IDS 10.00	64-bit	6.0 MP2
HP PA-RISC	HP-UX 11i v2 (11.23)	64-bit	Informix	IDS 10.00	64-bit	6.0 MP1
HP PA-RISC	HP-UX 11i v2 (11.23)	32-bit	Informix	IDS 9.40	32-bit	6.0 GA
HP PA-RISC	HP-UX 11i v2 (11.23)	64-bit	Informix	IDS 9.40	64-bit	6.0 GA
HP IA64	HP-UX 11i v2 (11.23)	64-bit	Informix	IDS 9.40	64-bit	6.0 MP3
SGI	IRIX 6.5.18	64-bit	Informix	IDS 9.20	32-bit	6.0 GA
SGI	IRIX 6.5.18	64-bit	Informix	IDS 9.21	32-bit	6.0 GA
SGI	IRIX 6.5.20	64-bit	Informix	IDS 9.40	32-bit	6.0 GA
SGI	IRIX 6.5.18	64-bit	Informix	IDS 7.30	32-bit	6.0 GA
SGI	IRIX 6.5.18	64-bit	Informix	IDS 7.31	32-bit	6.0 GA
SGI	IRIX 6.5.18	64-bit	Informix	IDS/UD 9.14	32-bit	6.0 GA
SUN SPARC	Solaris 8	32-bit	Informix	IDS 10.00	32-bit	6.0 MP1
SUN SPARC	Solaris 8	64-bit	Informix	IDS 10.00	64-bit	6.0 MP1
SUN SPARC	Solaris 8	32-bit	Informix	IDS 9.20	32-bit	6.0 GA
SUN SPARC	Solaris 8	64-bit	Informix	IDS 9.20	32-bit	6.0 GA
SUN SPARC	Solaris 8	64-bit	Informix	IDS 9.20	64-bit	6.0 GA
SUN SPARC	Solaris 8	64-bit	Informix	IDS 9.21	32-bit	6.0 GA
SUN SPARC	Solaris 8	64-bit	Informix	IDS 9.21	64-bit	6.0 GA
SUN SPARC	Solaris 8	32-bit	Informix	IDS 9.21	32-bit	6.0 GA
SUN SPARC	Solaris 8	64-bit	Informix	IDS 9.30	64-bit	6.0 GA
SUN SPARC	Solaris 8	32-bit	Informix	IDS 9.30	32-bit	6.0 GA
SUN SPARC	Solaris 8	32-bit	Informix	IDS 9.40	32-bit	6.0 GA
SUN SPARC	Solaris 8	64-bit	Informix	IDS 9.40	32-bit	6.0 GA
SUN SPARC	Solaris 8	64-bit	Informix	IDS 9.40	64-bit	6.0 GA
SUN SPARC	Solaris 8	64-bit	Informix	IDS 7.31	64-bit	6.0 GA
SUN SPARC	Solaris 8	32-bit	Informix	IDS 7.31	32-bit	6.0 GA
SUN SPARC	Solaris 8	64-bit	Informix	IDS 7.31	32-bit	6.0 GA
SUN SPARC	Solaris 8	32-bit	Informix	IDS 8.21	32-bit	6.0 GA
SUN SPARC	Solaris 8	64-bit	Informix	IDS 8.21	32-bit	6.0 GA
SUN SPARC	Solaris 8	32-bit	Informix	IDS/UD 9.14	32-bit	6.0 GA
SUN SPARC	Solaris 8	64-bit	Informix	IDS/UD 9.14	32-bit	6.0 GA
SUN SPARC	Solaris 8	64-bit	Informix	XPS 8.30	64-bit	6.0 GA
SUN SPARC	Solaris 8	32-bit	Informix	XPS 8.30	32-bit	6.0 GA
SUN SPARC	Solaris 8	64-bit	Informix	XPS 8.30	32-bit	6.0 GA
SUN SPARC	Solaris 8	64-bit	Informix	XPS 8.31	64-bit	6.0 GA
SUN SPARC	Solaris 8	32-bit	Informix	XPS 8.31	32-bit	6.0 GA
SUN SPARC	Solaris 8	64-bit	Informix	XPS 8.31	32-bit	6.0 GA
SUN SPARC	Solaris 8	32-bit	Informix	XPS 8.32	32-bit	6.0 GA
SUN SPARC	Solaris 8	64-bit	Informix	XPS 8.32	32-bit	6.0 GA
SUN SPARC	Solaris 8	64-bit	Informix	XPS 8.32	64-bit	6.0 GA
SUN SPARC	Solaris 8	32-bit	Informix	XPS 8.40	32-bit	6.0 GA

VERITAS Database Agents Support for NetBackup 6.0, Date: 07/26/2006

Platform	Operating System	OS Bit	Agent	Version	DB Bit	Start of Support (see Reference)
SUN SPARC	Solaris 8	64-bit	Informix	XPS 8.40	64-bit	6.0 GA
SUN SPARC	Solaris 9	32-bit	Informix	IDS 10.00	32-bit	6.0 MP1
SUN SPARC	Solaris 9	64-bit	Informix	IDS 10.00	64-bit	6.0 MP1
SUN SPARC	Solaris 9	64-bit	Informix	IDS 9.21	64-bit	6.0 GA
SUN SPARC	Solaris 9	32-bit	Informix	IDS 9.21	32-bit	6.0 GA
SUN SPARC	Solaris 9	64-bit	Informix	IDS 9.21	32-bit	6.0 GA
SUN SPARC	Solaris 9	32-bit	Informix	IDS 9.30	32-bit	6.0 GA
SUN SPARC	Solaris 9	64-bit	Informix	IDS 9.30	64-bit	6.0 GA
SUN SPARC	Solaris 9	32-bit	Informix	IDS 9.40	32-bit	6.0 GA
SUN SPARC	Solaris 9	64-bit	Informix	IDS 9.40	32-bit	6.0 GA
SUN SPARC	Solaris 9	64-bit	Informix	IDS 9.40	64-bit	6.0 GA
SUN SPARC	Solaris 9	64-bit	Informix	IDS 7.31	64-bit	6.0 GA
SUN SPARC	Solaris 9	32-bit	Informix	IDS 7.31	32-bit	6.0 GA
SUN SPARC	Solaris 9	64-bit	Informix	IDS 7.31	32-bit	6.0 GA
SUN SPARC	Solaris 9	32-bit	Informix	XPS 8.40	32-bit	6.0 GA
SUN SPARC	Solaris 9	64-bit	Informix	XPS 8.40	64-bit	6.0 GA
SUN SPARC	Solaris 10	64-bit	Informix	IDS 10.00	64-bit	6.0 MP2
HP Tru64	Tru64 5.1 & 5.1a	64-bit	Informix	IDS 9.40	64-bit	6.0 GA
HP Tru64	Tru64 5.1 & 5.1a	64-bit	Informix	XPS 8.32	64-bit	6.0 GA
HP Tru64	Tru64 5.1 & 5.1a	64-bit	Informix	IDS 9.21	64-bit	6.0 GA
HP Tru64	Tru64 5.1 & 5.1a	64-bit	Informix	IDS 9.30	64-bit	6.0 GA
HP Tru64	Tru64 5.1 & 5.1a	64-bit	Informix	IDS 7.31	64-bit	6.0 GA
HP Tru64	Tru64 5.1 & 5.1a	64-bit	Informix	XPS 8.40	64-bit	6.0 GA
HP Tru64	Tru64 5.1b	64-bit	Informix	IDS 10.00	64-bit	6.0 MP1
HP Tru64	Tru64 5.1b	64-bit	Informix	IDS 9.40	64-bit	6.0 GA
HP Tru64	Tru64 5.1 & 5.1a	64-bit	Informix	XPS 8.30	64-bit	6.0 GA
HP Tru64	Tru64 5.1 & 5.1a	64-bit	Informix	XPS 8.31	64-bit	6.0 GA
IBM	AIX5L (5.1)	32-bit	Lotus Notes	R5.0.5 - R5.0.x	32-bit	6.0 GA
IBM	AIX5L (5.1)	64-bit	Lotus Notes	R5.0.5 - R5.0.x	32-bit	6.0 GA
IBM	AIX5L (5.1)	32-bit	Lotus Notes	R6.0.2 - R6.0.x	32-bit	6.0 GA
IBM	AIX5L (5.1)	64-bit	Lotus Notes	R6.0.2 - R6.0.x	32-bit	6.0 GA
IBM	AIX5L (5.1)	32-bit	Lotus Notes	R6.5.1 - R6.5.x	32-bit	6.0 GA
IBM	AIX5L (5.1)	64-bit	Lotus Notes	R6.5.1 - R6.5.x	32-bit	6.0 GA
IBM	AIX5L (5.2)	32-bit	Lotus Notes	R5.0.13 - R5.0.x	32-bit	6.0 GA
IBM	AIX5L (5.2)	64-bit	Lotus Notes	R5.0.13 - R5.0.x	32-bit	6.0 GA
IBM	AIX5L (5.2)	32-bit	Lotus Notes	R6.0.2 - R6.0.x	32-bit	6.0 GA
IBM	AIX5L (5.2)	64-bit	Lotus Notes	R6.0.2 - R6.0.x	32-bit	6.0 GA
IBM	AIX5L (5.2)	32-bit	Lotus Notes	R6.5.1 - R6.5.x	32-bit	6.0 GA
IBM	AIX5L (5.2)	64-bit	Lotus Notes	R6.5.1 - R6.5.x	32-bit	6.0 GA
IBM	AIX5L (5.2)	32-bit	Lotus Notes	R7.0 - R7.0.x	32-bit	6.0 GA
IBM	AIX5L (5.2)	64-bit	Lotus Notes	R7.0 - R7.0.x	32-bit	6.0 GA
IBM	AIX5L (5.3)	32-bit	Lotus Notes	R6.5.3 - R6.5.x	32-bit	6.0 GA
IBM	AIX5L (5.3)	64-bit	Lotus Notes	R6.5.3 - R6.5.x	32-bit	6.0 GA
IBM	AIX5L (5.3)	32-bit	Lotus Notes	R6.0.5 - R6.0.x	32-bit	6.0 GA
IBM	AIX5L (5.3)	64-bit	Lotus Notes	R6.0.5 - R6.0.x	32-bit	6.0 GA
IBM	AIX5L (5.3)	64-bit	Lotus Notes	R6.5.1 - R6.5.x	32-bit	6.0 GA
IBM	AIX5L (5.3)	32-bit	Lotus Notes	R7.0 - R7.0.x	32-bit	6.0 GA
IBM	AIX5L (5.3)	64-bit	Lotus Notes	R7.0 - R7.0.x	32-bit	6.0 GA
LINUX x86	RedHat Enterprise AS/ES 2.1	32-bit	Lotus Notes	R6.0.3 - R6.0.x	32-bit	6.0 GA
LINUX x86	RedHat Enterprise AS/ES 2.1	32-bit	Lotus Notes	R6.5 - R6.5.x	32-bit	6.0 GA
LINUX x86	RedHat Enterprise AS/ES 3.0	32-bit	Lotus Notes	R6.5.2 - R6.5.x	32-bit	6.0 GA
LINUX x86	RedHat Enterprise AS/ES 4.0	32-bit	Lotus Notes	R7.0 - R7.0.x	32-bit	6.0 MP2
LINUX x86	SuSE SLES 8	32-bit	Lotus Notes	R6.0.3 - R6.0.x	32-bit	6.0 GA
LINUX x86	SuSE SLES 8	32-bit	Lotus Notes	R6.5 - R6.5.x	32-bit	6.0 GA
LINUX x86	SuSE SLES 8	32-bit	Lotus Notes	R7.0 - R7.0.x	32-bit	6.0 GA
LINUX x86	SuSE SLES 9	32-bit	Lotus Notes	R7.0 - R7.0.x	32-bit	6.0 GA
LINUX AMD64/EM64T	RedHat Enterprise AS/ES 4.0	64-bit	Lotus Notes	R7.0.1 - R7.0.x	32-bit	6.0 MP2
LINUX AMD64/EM64T	SuSE SLES 9	64-bit	Lotus Notes	R7.0.1 - R7.0.x	32-bit	6.0 MP2
SUN SPARC	Solaris 8	32-bit	Lotus Notes	R5.0.3 - R5.0.x	32-bit	6.0 GA
SUN SPARC	Solaris 8	64-bit	Lotus Notes	R6.0.2 - R6.0.x	32-bit	6.0 GA
SUN SPARC	Solaris 8	64-bit	Lotus Notes	R6.5.1 - R6.5.x	32-bit	6.0 GA
SUN SPARC	Solaris 9	64-bit	Lotus Notes	R6.0.2 - R6.0.x	32-bit	6.0 GA
SUN SPARC	Solaris 9	64-bit	Lotus Notes	R6.5.1 - R6.5.x	32-bit	6.0 GA

VERITAS Database Agents Support for NetBackup 6.0, Date: 07/26/2006

Platform	Operating System	OS Bit	Agent	Version	DB Bit	Start of Support (see Reference)
SUN SPARC	Solaris 9	64-bit	Lotus Notes	R7.0 - R7.0.x	32-bit	6.0 GA
SUN SPARC	Solaris 10	64-bit	Lotus Notes	R7.0 - R7.0.x	32-bit	6.0 MP2
Microsoft x86	Windows 2000	32-bit	Lotus Notes	R5.0.3 - R5.0.x	32-bit	6.0 GA
Microsoft x86	Windows 2000	32-bit	Lotus Notes	R6.0 - R6.0.x	32-bit	6.0 GA
Microsoft x86	Windows 2000	32-bit	Lotus Notes	R6.5 - R6.5.x	32-bit	6.0 GA
Microsoft x86	Windows 2000	32-bit	Lotus Notes	R7.0 - R7.0.x	32-bit	6.0 GA
Microsoft x86	Windows 2003	32-bit	Lotus Notes	R6.0.3 - R6.0.x	32-bit	6.0 GA
Microsoft x86	Windows 2003	32-bit	Lotus Notes	R6.5 - R6.5.x	32-bit	6.0 GA
Microsoft x86	Windows 2003	32-bit	Lotus Notes	R7.0 - R7.0.x	32-bit	6.0 GA
Microsoft x86	Windows 2000	32-bit	Microsoft Exchange	5.5	32-bit	6.0 GA
Microsoft x86	Windows 2000	32-bit	Microsoft Exchange	2000	32-bit	6.0 GA
Microsoft x86	Windows 2000 SP3+	32-bit	Microsoft Exchange	2003	32-bit	6.0 GA
Microsoft AMD64/EM64T	Windows 2003	32-bit	Microsoft Exchange	2003	32-bit	6.0 GA
Microsoft x86	Windows 2003	32-bit	Microsoft Exchange	2003	32-bit	6.0 GA
Microsoft x86	Windows 2000	32-bit	SharePoint SQL 2000	2001	32-bit	6.0 GA
Microsoft x86	Windows 2003	32-bit	SharePoint SQL 2000	2003 SP1 (3)	32-bit	6.0 GA
Microsoft AMD64/EM64T	Windows 2003	32-bit	SharePoint SQL 2000	2003 SP1 (3)	32-bit	6.0 GA
Microsoft x86	Windows 2000	32-bit	Microsoft SQL Server	2000	32-bit	6.0 GA
Microsoft x86	Windows 2000	32-bit	Microsoft SQL Server	7.0	32-bit	6.0 GA
Microsoft x86	Windows 2000 SP4+	32-bit	Microsoft SQL Server	2005	32-bit	6.0 GA
Microsoft AMD64/EM64T	Windows 2003	32-bit	Microsoft SQL Server	2000	32-bit	6.0 GA
Microsoft IA64	Windows 2003	64-bit	Microsoft SQL Server	2000	64-bit	6.0 GA
Microsoft x86	Windows 2003	32-bit	Microsoft SQL Server	2000	32-bit	6.0 GA
Microsoft AMD64/EM64T	Windows 2003	64-bit	Microsoft SQL Server	2000 SP4 (2)	32-bit	6.0 MP2
Microsoft AMD64/EM64T	Windows 2003	32-bit	Microsoft SQL Server	2005	32-bit	6.0 GA
Microsoft AMD64/EM64T	Windows 2003	64-bit	Microsoft SQL Server	2005	32-bit	6.0 MP2
Microsoft AMD64/EM64T	Windows 2003	64-bit	Microsoft SQL Server	2005	64-bit	6.0 MP2
Microsoft IA64	Windows 2003 SP1+	64-bit	Microsoft SQL Server	2005	64-bit	6.0 GA
Microsoft x86	Windows 2003 SP1+	32-bit	Microsoft SQL Server	2005	32-bit	6.0 GA
IBM	AIX5L (5.1)	64-bit	Oracle	9.2 (9i) (1)	64-bit	6.0 GA
IBM	AIX5L (5.1)	32-bit	Oracle	8.1.7	32-bit	6.0 GA
IBM	AIX5L (5.2)	64-bit	Oracle	10.1 (10g)	64-bit	6.0 GA
IBM	AIX5L (5.2)	64-bit	Oracle	10g R2	64-bit	6.0 GA
IBM	AIX5L (5.2)	32-bit	Oracle	8.1.7	32-bit	6.0 GA
IBM	AIX5L (5.2)	64-bit	Oracle	8.1.7	32-bit	6.0 GA
IBM	AIX5L (5.2)	64-bit	Oracle	9.2 (9i) (1)	64-bit	6.0 GA
IBM	AIX5L (5.3)	64-bit	Oracle	10.1 (10g)	64-bit	6.0 GA
IBM	AIX5L (5.3)	64-bit	Oracle	10g R2	64-bit	6.0 GA
IBM	AIX5L (5.3)	64-bit	Oracle	9.2 (9i) (1)	64-bit	6.0 GA
HP PA-RISC	HP-UX 11.0	64-bit	Oracle	9.2 (9i)	64-bit	6.0 GA
HP PA-RISC	HP-UX 11.0	32-bit	Oracle	8.0.3	32-bit	6.0 GA
HP PA-RISC	HP-UX 11.0	64-bit	Oracle	8.0.3	32-bit	6.0 GA
HP PA-RISC	HP-UX 11.0	32-bit	Oracle	8.0.4	32-bit	6.0 GA
HP PA-RISC	HP-UX 11.0	64-bit	Oracle	8.0.4	32-bit	6.0 GA
HP PA-RISC	HP-UX 11.0	32-bit	Oracle	8.0.5	32-bit	6.0 GA
HP PA-RISC	HP-UX 11.0	64-bit	Oracle	8.0.5	32-bit	6.0 GA
HP PA-RISC	HP-UX 11.0	64-bit	Oracle	8.0.5	64-bit	6.0 GA
HP PA-RISC	HP-UX 11.0	32-bit	Oracle	8.0.6	32-bit	6.0 GA
HP PA-RISC	HP-UX 11.0	64-bit	Oracle	8.0.6	32-bit	6.0 GA
HP PA-RISC	HP-UX 11.0	64-bit	Oracle	8.0.6	64-bit	6.0 GA
HP PA-RISC	HP-UX 11.0	32-bit	Oracle	8.1.5	32-bit	6.0 GA
HP PA-RISC	HP-UX 11.0	64-bit	Oracle	8.1.5	32-bit	6.0 GA
HP PA-RISC	HP-UX 11.0	32-bit	Oracle	8.1.6	32-bit	6.0 GA
HP PA-RISC	HP-UX 11.0	64-bit	Oracle	8.1.6	32-bit	6.0 GA
HP PA-RISC	HP-UX 11.0	64-bit	Oracle	8.1.6	64-bit	6.0 GA
HP PA-RISC	HP-UX 11.0	32-bit	Oracle	8.1.7	32-bit	6.0 GA
HP PA-RISC	HP-UX 11.0	64-bit	Oracle	8.1.7	32-bit	6.0 GA
HP PA-RISC	HP-UX 11.0	64-bit	Oracle	8.1.7	64-bit	6.0 GA
HP PA-RISC	HP-UX 11.0	64-bit	Oracle	9.0.1	64-bit	6.0 GA
HP PA-RISC	HP-UX 11.11	64-bit	Oracle	9.2 (9i)	64-bit	6.0 GA
HP PA-RISC	HP-UX 11.11	64-bit	Oracle	10.1 (10g)	64-bit	6.0 GA
HP PA-RISC	HP-UX 11.11	64-bit	Oracle	10g R2	64-bit	6.0 GA
HP PA-RISC	HP-UX 11.11	32-bit	Oracle	8.0.6	32-bit	6.0 GA
HP PA-RISC	HP-UX 11.11	64-bit	Oracle	8.0.6	32-bit	6.0 GA

VERITAS Database Agents Support for NetBackup 6.0, Date: 07/26/2006

Platform	Operating System	OS Bit	Agent	Version	DB Bit	Start of Support (see Reference)
HP PA-RISC	HP-UX 11.11	64-bit	Oracle	8.0.6	64-bit	6.0 GA
HP PA-RISC	HP-UX 11.11	32-bit	Oracle	8.1.6	32-bit	6.0 GA
HP PA-RISC	HP-UX 11.11	64-bit	Oracle	8.1.6	32-bit	6.0 GA
HP PA-RISC	HP-UX 11.11	64-bit	Oracle	8.1.6	64-bit	6.0 GA
HP PA-RISC	HP-UX 11.11	32-bit	Oracle	8.1.7	32-bit	6.0 GA
HP PA-RISC	HP-UX 11.11	64-bit	Oracle	8.1.7	32-bit	6.0 GA
HP PA-RISC	HP-UX 11.11	64-bit	Oracle	8.1.7	64-bit	6.0 GA
HP PA-RISC	HP-UX 11.11	64-bit	Oracle	9.0.1	64-bit	6.0 GA
HP IA64	HP-UX 11i v2 (11.23)	64-bit	Oracle	10.1 (10g)	64-bit	6.0 GA
HP IA64	HP-UX 11i v2 (11.23)	64-bit	Oracle	10g R2	64-bit	6.0 MP2
HP IA64	HP-UX 11i v2 (11.23)	64-bit	Oracle	9.2 (9i)	64-bit	6.0 GA
HP PA-RISC	HP-UX 11i v2 (11.23)	64-bit	Oracle	10.1 (10g)	64-bit	6.0 GA
HP PA-RISC	HP-UX 11i v2 (11.23)	64-bit	Oracle	10g R2	64-bit	6.0 GA
HP PA-RISC	HP-UX 11i v2 (11.23)	64-bit	Oracle	9.2	64-bit	6.0 GA
SGI	IRIX 6.5.18	64-bit	Oracle	8.1.6	64-bit	6.0 GA
SGI	IRIX 6.5.18	64-bit	Oracle	8.1.7	64-bit	6.0 GA
LINUX x86	RedHat Enterprise AS/ES 2.1	32-bit	Oracle	9.2 (9i)	32-bit	6.0 GA
LINUX x86	RedHat Enterprise AS/ES 2.1	32-bit	Oracle	10.1 (10g)	32-bit	6.0 GA
LINUX x86	RedHat Enterprise AS/ES 2.1	32-bit	Oracle	9.0.1	32-bit	6.0 GA
LINUX x86	RedHat Enterprise AS/ES 3.0	32-bit	Oracle	10.1 (10g)	32-bit	6.0 GA
LINUX IA64	RedHat Enterprise AS/ES 3.0	64-bit	Oracle	10.1 (10g)	64-bit	6.0 GA
LINUX x86	RedHat Enterprise AS/ES 3.0	32-bit	Oracle	10g R2	32-bit	6.0 GA
LINUX IA64	RedHat Enterprise AS/ES 3.0	64-bit	Oracle	10g R2	64-bit	6.0 MP1
LINUX AMD64/EM64T	RedHat Enterprise AS/ES 3.0	64-bit	Oracle	10g R2	64-bit	6.0 GA
LINUX x86	RedHat Enterprise AS/ES 3.0	32-bit	Oracle	9.2 (9i)	32-bit	6.0 GA
LINUX IA64	RedHat Enterprise AS/ES 3.0	64-bit	Oracle	9.2 (9i)	64-bit	6.0 GA
LINUX AMD64/EM64T	RedHat Enterprise AS/ES 3.0	64-bit	Oracle	9.2	64-bit	6.0 GA
LINUX x86	RedHat Enterprise AS/ES 4.0	32-bit	Oracle	10.1 (10g)	32-bit	6.0 GA
LINUX IA64	RedHat Enterprise AS/ES 4.0	64-bit	Oracle	10.1 (10g)	64-bit	6.0 GA
LINUX AMD64/EM64T	RedHat Enterprise AS/ES 4.0	64-bit	Oracle	10.1 (10g)	64-bit	6.0 GA
LINUX x86	RedHat Enterprise AS/ES 4.0	32-bit	Oracle	10g R2	32-bit	6.0 GA
LINUX IA64	RedHat Enterprise AS/ES 4.0	64-bit	Oracle	10g R2	64-bit	6.0 MP1
LINUX AMD64/EM64T	RedHat Enterprise AS/ES 4.0	64-bit	Oracle	10g R2	64-bit	6.0 GA
LINUX x86	RedHat Enterprise AS/ES 4.0	32-bit	Oracle	9.2 (9i)	32-bit	6.0 GA
LINUX IA64	RedHat Enterprise AS/ES 4.0	64-bit	Oracle	9.2 (9i)	64-bit	6.0 MP2
LINUX AMD64/EM64T	RedHat Enterprise AS/ES 4.0	64-bit	Oracle	9.2 (9i)	64-bit	6.0 MP2
SUN SPARC	Solaris 8	64-bit	Oracle	10.1 (10g)	64-bit	6.0 GA
SUN SPARC	Solaris 8	64-bit	Oracle	10g R2	64-bit	6.0 GA
SUN SPARC	Solaris 8	32-bit	Oracle	8.0.5	32-bit	6.0 GA
SUN SPARC	Solaris 8	64-bit	Oracle	8.0.5	32-bit	6.0 GA
SUN SPARC	Solaris 8	32-bit	Oracle	8.0.6	32-bit	6.0 GA
SUN SPARC	Solaris 8	64-bit	Oracle	8.0.6	32-bit	6.0 GA
SUN SPARC	Solaris 8	32-bit	Oracle	8.1.5	32-bit	6.0 GA
SUN SPARC	Solaris 8	64-bit	Oracle	8.1.5	32-bit	6.0 GA
SUN SPARC	Solaris 8	32-bit	Oracle	8.1.6	32-bit	6.0 GA
SUN SPARC	Solaris 8	64-bit	Oracle	8.1.6	32-bit	6.0 GA
SUN SPARC	Solaris 8	64-bit	Oracle	8.1.6	64-bit	6.0 GA
SUN SPARC	Solaris 8	32-bit	Oracle	8.1.7	32-bit	6.0 GA
SUN SPARC	Solaris 8	64-bit	Oracle	8.1.7	32-bit	6.0 GA
SUN SPARC	Solaris 8	64-bit	Oracle	8.1.7	64-bit	6.0 GA
SUN SPARC	Solaris 8	32-bit	Oracle	9.0.1	32-bit	6.0 GA
SUN SPARC	Solaris 8	64-bit	Oracle	9.0.1	32-bit	6.0 GA
SUN SPARC	Solaris 8	64-bit	Oracle	9.0.1	64-bit	6.0 GA
SUN SPARC	Solaris 8	32-bit	Oracle	9.2 (9i)	32-bit	6.0 GA
SUN SPARC	Solaris 8	64-bit	Oracle	9.2 (9i)	32-bit	6.0 GA
SUN SPARC	Solaris 8	64-bit	Oracle	9.2 (9i)	64-bit	6.0 GA
SUN SPARC	Solaris 9	64-bit	Oracle	10.1 (10g)	64-bit	6.0 GA
SUN SPARC	Solaris 9	64-bit	Oracle	10g R2	64-bit	6.0 GA
SUN SPARC	Solaris 9	32-bit	Oracle	8.1.7	32-bit	6.0 GA
SUN SPARC	Solaris 9	64-bit	Oracle	8.1.7	32-bit	6.0 GA
SUN SPARC	Solaris 9	64-bit	Oracle	8.1.7	64-bit	6.0 GA
SUN SPARC	Solaris 9	32-bit	Oracle	9.0.1	32-bit	6.0 GA
SUN SPARC	Solaris 9	64-bit	Oracle	9.0.1	32-bit	6.0 GA
SUN SPARC	Solaris 9	64-bit	Oracle	9.0.1	64-bit	6.0 GA
SUN SPARC	Solaris 9	64-bit	Oracle	9.0.1	32-bit	6.0 GA
SUN SPARC	Solaris 9	64-bit	Oracle	9.0.1	64-bit	6.0 GA

VERITAS Database Agents Support for NetBackup 6.0, Date: 07/26/2006						
Platform	Operating System	OS Bit	Agent	Version	DB Bit	Start of Support (see Reference)
SUN SPARC	Solaris 9	32-bit	Oracle	9.2	32-bit	6.0 GA
SUN SPARC	Solaris 9	64-bit	Oracle	9.2	32-bit	6.0 GA
SUN SPARC	Solaris 9	64-bit	Oracle	9.2	64-bit	6.0 GA
SUN SPARC	Solaris 10	64-bit	Oracle	10.1 (10g)	64-bit	6.0 GA
SUN SPARC	Solaris 10	64-bit	Oracle	10g R2	64-bit	6.0 GA
SUN SPARC	Solaris 10	64-bit	Oracle	9.2	32-bit	6.0 GA
SUN SPARC	Solaris 10	64-bit	Oracle	9.2	64-bit	6.0 GA
LINUX x86	SuSE SLES 8	32-bit	Oracle	10.1 (10g)	32-bit	6.0 GA
LINUX IA64	SuSE SLES 8	64-bit	Oracle	10.1 (10g)	64-bit	6.0 GA
LINUX x86	SuSE SLES 8	32-bit	Oracle	9.2 (9i)	32-bit	6.0 GA
LINUX IA64	SuSE SLES 8	64-bit	Oracle	9.2 (9i)	64-bit	6.0 GA
LINUX AMD64/EM64T	SuSE SLES 8	64-bit	Oracle	9.2	64-bit	6.0 GA
LINUX x86	SuSE SLES 9	32-bit	Oracle	10.1 (10g)	32-bit	6.0 GA
LINUX IA64	SuSE SLES 9	64-bit	Oracle	10.1 (10g)	64-bit	6.0 GA
LINUX AMD64/EM64T	SuSE SLES 9	64-bit	Oracle	10.1 (10g)	64-bit	6.0 GA
LINUX x86	SuSE SLES 9	32-bit	Oracle	10g R2	32-bit	6.0 GA
LINUX IA64	SuSE SLES 9	64-bit	Oracle	10g R2	64-bit	6.0 MP1
LINUX AMD64/EM64T	SuSE SLES 9	64-bit	Oracle	10g R2	64-bit	6.0 GA
HP Tru64	Tru64 5.1 & 5.1a	64-bit	Oracle	9.2	64-bit	6.0 GA
HP Tru64	Tru64 5.1 & 5.1a	64-bit	Oracle	8.0.6	64-bit	6.0 GA
HP Tru64	Tru64 5.1 & 5.1a	64-bit	Oracle	8.1.5	64-bit	6.0 GA
HP Tru64	Tru64 5.1 & 5.1a	64-bit	Oracle	8.1.6	64-bit	6.0 GA
HP Tru64	Tru64 5.1 & 5.1a	64-bit	Oracle	8.1.7	64-bit	6.0 GA
HP Tru64	Tru64 5.1 & 5.1a	64-bit	Oracle	9.0.1	64-bit	6.0 GA
HP Tru64	Tru64 5.1b	64-bit	Oracle	8.1.7	64-bit	6.0 GA
HP Tru64	Tru64 5.1b	64-bit	Oracle	10.1 (10g)	64-bit	6.0 GA
HP Tru64	Tru64 5.1b	64-bit	Oracle	9.0.1	64-bit	6.0 GA
HP Tru64	Tru64 5.1b	64-bit	Oracle	9.2 (9i)	64-bit	6.0 GA
Microsoft x86	Windows 2000	32-bit	Oracle	10.1 (10g)	32-bit	6.0 GA
Microsoft x86	Windows 2000	32-bit	Oracle	9.2	32-bit	6.0 GA
Microsoft x86	Windows 2000	32-bit	Oracle	8.1.6	32-bit	6.0 GA
Microsoft x86	Windows 2000	32-bit	Oracle	8.1.7	32-bit	6.0 GA
Microsoft x86	Windows 2000	32-bit	Oracle	9.0.1	32-bit	6.0 GA
Microsoft AMD64/EM64T	Windows 2003	32-bit	Oracle	10.1 (10g)	32-bit	6.0 GA
Microsoft IA64	Windows 2003	64-bit	Oracle	10.1 (10g)	64-bit	6.0 GA
Microsoft x86	Windows 2003	32-bit	Oracle	10.1 (10g)	32-bit	6.0 GA
Microsoft AMD64/EM64T	Windows 2003	32-bit	Oracle	10g R2	32-bit	6.0 GA
Microsoft IA64	Windows 2003	64-bit	Oracle	10g R2	64-bit	6.0 MP2
Microsoft x86	Windows 2003	32-bit	Oracle	10g R2	32-bit	6.0 GA
Microsoft AMD64/EM64T	Windows 2003	32-bit	Oracle	9.2 (9i)	32-bit	6.0 GA
Microsoft IA64	Windows 2003	64-bit	Oracle	9.2 (9i)	64-bit	6.0 GA
Microsoft x86	Windows 2003	32-bit	Oracle	9.2 (9i)	32-bit	6.0 GA
IBM	AIX5L (5.1)	64-bit	SAP MAX-DB	v7.5	64-bit	6.0 GA
IBM	AIX5L (5.2)	64-bit	SAP MAX-DB	v7.5	64-bit	6.0 GA
IBM	AIX5L (5.3)	64-bit	SAP MAX-DB	v7.5	64-bit	6.0 GA
HP PA-RISC	HP-UX 11.0	64-bit	SAP MAX-DB	v7.5	64-bit	6.0 GA
HP PA-RISC	HP-UX 11.11	64-bit	SAP MAX-DB	v7.5	64-bit	6.0 GA
HP PA-RISC	HP-UX 11i v2 (11.23)	64-bit	SAP MAX-DB	v7.5	64-bit	6.0 GA
HP IA64	HP-UX 11i v2 (11.23)	64-bit	SAP MAX-DB	v7.5	64-bit	6.0 GA
HP IA64	HP-UX 11i v2 (11.23)	64-bit	SAP MAX-DB	v7.6	64-bit	6.0 MP2
HP Tru64	Tru64 5.1a	64-bit	SAP MAX-DB	v7.5	64-bit	6.0 GA
HP Tru64	Tru64 5.1b	64-bit	SAP MAX-DB	v7.5	64-bit	6.0 GA
LINUX x86	RedHat Enterprise AS/ES 3.0	32-bit	SAP MAX-DB	v7.5	32-bit	6.0 GA
LINUX x86	RedHat Enterprise AS/ES 4.0	32-bit	SAP MAX-DB	v7.5	32-bit	6.0 MP1
LINUX x86	SuSE SLES 9	32-bit	SAP MAX-DB	v7.5	32-bit	6.0 GA
LINUX IA64	RedHat Enterprise AS/ES 3.0	64-bit	SAP MAX-DB	v7.5	64-bit	6.0 GA
LINUX IA64	RedHat Enterprise AS/ES 4.0	64-bit	SAP MAX-DB	v7.5	64-bit	6.0 MP1
LINUX IA64	SuSE SLES 8	64-bit	SAP MAX-DB	v7.5	64-bit	6.0 GA
LINUX IA64	SuSE SLES 9	64-bit	SAP MAX-DB	v7.5	64-bit	6.0 GA
LINUX AMD64/EM64T	RedHat Enterprise AS/ES 4.0	64-bit	SAP MAX-DB	v7.5	64-bit	6.0 MP2
LINUX AMD64/EM64T	SuSE SLES 9	64-bit	SAP MAX-DB	v7.5	64-bit	6.0 MP2
SUN SPARC	Solaris 8	64-bit	SAP MAX-DB	v7.5	64-bit	6.0 GA
SUN SPARC	Solaris 9	64-bit	SAP MAX-DB	v7.5	64-bit	6.0 GA
SUN SPARC	Solaris 10	64-bit	SAP MAX-DB	v7.5	64-bit	6.0 GA

VERITAS Database Agents Support for NetBackup 6.0, Date: 07/26/2006

Platform	Operating System	OS Bit	Agent	Version	DB Bit	Start of Support (see Reference)
Microsoft x86	Windows 2000	32-bit	SAP MAX-DB	v7.5	32-bit	6.0 GA
Microsoft x86	Windows 2003	32-bit	SAP MAX-DB	v7.5	32-bit	6.0 GA
Microsoft IA64	Windows 2003	64-bit	SAP MAX-DB	v7.5	64-bit	6.0 GA
IBM	AIX5L (5.1)	32-bit	SAP Oracle	4.x	32-bit	6.0 GA
IBM	AIX5L (5.1)	64-bit	SAP Oracle	4.x	64-bit	6.0 GA
IBM	AIX5L (5.1)	64-bit	SAP Oracle	6.x	64-bit	6.0 GA
IBM	AIX5L (5.2)	32-bit	SAP Oracle	4.x	32-bit	6.0 GA
IBM	AIX5L (5.2)	64-bit	SAP Oracle	4.x	32-bit	6.0 GA
IBM	AIX5L (5.2)	64-bit	SAP Oracle	4.x	64-bit	6.0 GA
IBM	AIX5L (5.2)	64-bit	SAP Oracle	6.x	64-bit	6.0 GA
IBM	AIX5L (5.2)	64-bit	SAP Oracle	7.x	64-bit	6.0 MP2
IBM	AIX5L (5.3)	64-bit	SAP Oracle	6.x	64-bit	6.0 GA
IBM	AIX5L (5.3)	64-bit	SAP Oracle	7.x	64-bit	6.0 MP2
HP PA-RISC	HP-UX 11.0	32-bit	SAP Oracle	3.x	32-bit	6.0 GA
HP PA-RISC	HP-UX 11.0	32-bit	SAP Oracle	4.x	32-bit	6.0 GA
HP PA-RISC	HP-UX 11.0	64-bit	SAP Oracle	4.x	32-bit	6.0 GA
HP PA-RISC	HP-UX 11.0	64-bit	SAP Oracle	4.x	64-bit	6.0 GA
HP PA-RISC	HP-UX 11.0	64-bit	SAP Oracle	6.x	64-bit	6.0 GA
HP PA-RISC	HP-UX 11.11	32-bit	SAP Oracle	3.x	32-bit	6.0 GA
HP PA-RISC	HP-UX 11.11	32-bit	SAP Oracle	4.x	32-bit	6.0 GA
HP PA-RISC	HP-UX 11.11	64-bit	SAP Oracle	4.x	32-bit	6.0 GA
HP PA-RISC	HP-UX 11.11	64-bit	SAP Oracle	4.x	64-bit	6.0 GA
HP PA-RISC	HP-UX 11.11	64-bit	SAP Oracle	6.x	64-bit	6.0 GA
HP PA-RISC	HP-UX 11.11	64-bit	SAP Oracle	7.x	64-bit	6.0 MP2
HP PA-RISC	HP-UX 11.23	64-bit	SAP Oracle	7.x	64-bit	6.0 MP2
HP PA-RISC	HP-UX 11i v2 (11.23)	64-bit	SAP Oracle	6.x	64-bit	6.0 GA
HP IA64	HP-UX 11i v2 (11.23)	64-bit	SAP Oracle	4.x	64-bit	6.0 GA
HP IA64	HP-UX 11i v2 (11.23)	64-bit	SAP Oracle	6.x	64-bit	6.0 GA
HP IA64	HP-UX 11i v2 (11.23)	64-bit	SAP Oracle	7.x	64-bit	6.0 MP2
LINUX x86	RedHat Enterprise AS/ES 2.1	32-bit	SAP Oracle	6.x	32-bit	6.0 GA
LINUX x86	RedHat Enterprise AS/ES 3.0	32-bit	SAP Oracle	6.x	32-bit	6.0 GA
LINUX IA64	RedHat Enterprise AS/ES 3.0	64-bit	SAP Oracle	6.x	64-bit	6.0 GA
LINUX x86	RedHat Enterprise AS/ES 4.0	32-bit	SAP Oracle	6.x	32-bit	6.0 MP1
LINUX x86	RedHat Enterprise AS/ES 4.0	32-bit	SAP Oracle	7.x	32-bit	6.0 MP2
LINUX IA64	RedHat Enterprise AS/ES 4.0	64-bit	SAP Oracle	6.x	64-bit	6.0 MP1
LINUX IA64	RedHat Enterprise AS/ES 4.0	64-bit	SAP Oracle	7.x	64-bit	6.0 MP2
LINUX AMD64/EM64T	RedHat Enterprise AS/ES 4.0	64-bit	SAP Oracle	6.x	64-bit	6.0 MP2
LINUX AMD64/EM64T	RedHat Enterprise AS/ES 4.0	64-bit	SAP Oracle	7.x	64-bit	6.0 MP2
SUN SPARC	Solaris 8	32-bit	SAP Oracle	3.x	32-bit	6.0 GA
SUN SPARC	Solaris 8	32-bit	SAP Oracle	4.x	32-bit	6.0 GA
SUN SPARC	Solaris 8	64-bit	SAP Oracle	4.x	32-bit	6.0 GA
SUN SPARC	Solaris 8	64-bit	SAP Oracle	6.x	64-bit	6.0 GA
SUN SPARC	Solaris 9	32-bit	SAP Oracle	3.x	32-bit	6.0 GA
SUN SPARC	Solaris 9	32-bit	SAP Oracle	4.x	32-bit	6.0 GA
SUN SPARC	Solaris 9	64-bit	SAP Oracle	4.x	32-bit	6.0 GA
SUN SPARC	Solaris 9	64-bit	SAP Oracle	4.x	64-bit	6.0 GA
SUN SPARC	Solaris 9	64-bit	SAP Oracle	6.x	64-bit	6.0 GA
SUN SPARC	Solaris 9	64-bit	SAP Oracle	7.x	64-bit	6.0 MP2
SUN SPARC	Solaris 10	64-bit	SAP Oracle	6.x	64-bit	6.0 GA
SUN SPARC	Solaris 10	64-bit	SAP Oracle	7.x	64-bit	6.0 MP2
LINUX x86	SuSE SLES 8	32-bit	SAP Oracle	6.x	32-bit	6.0 GA
LINUX IA64	SuSE SLES 8	64-bit	SAP Oracle	6.x	64-bit	6.0 GA
LINUX x86	SuSE SLES 9	32-bit	SAP Oracle	7.x	32-bit	6.0 MP2
LINUX IA64	SuSE SLES 9	64-bit	SAP Oracle	6.x	64-bit	6.0 GA
LINUX IA64	SuSE SLES 9	64-bit	SAP Oracle	7.x	64-bit	6.0 MP2
LINUX AMD64/EM64T	SuSE SLES 9	64-bit	SAP Oracle	6.x	64-bit	6.0 MP2
LINUX AMD64/EM64T	SuSE SLES 9	64-bit	SAP Oracle	7.x	64-bit	6.0 MP2
LINUX x86	SuSE SLES 9	32-bit	SAP Oracle	6.x	32-bit	6.0 GA
HP Tru64	Tru64 5.1a	64-bit	SAP Oracle	3.x	64-bit	6.0 GA
HP Tru64	Tru64 5.1a	64-bit	SAP Oracle	4.x	64-bit	6.0 GA
HP Tru64	Tru64 5.1a	64-bit	SAP Oracle	6.x	64-bit	6.0 GA
HP Tru64	Tru64 5.1b	64-bit	SAP Oracle	3.x	64-bit	6.0 GA
HP Tru64	Tru64 5.1b	64-bit	SAP Oracle	4.x	64-bit	6.0 GA

VERITAS Database Agents Support for NetBackup 6.0, Date: 07/26/2006

Platform	Operating System	OS Bit	Agent	Version	DB Bit	Start of Support (see Reference)
HP Tru64	Tru64 5.1b	64-bit	SAP Oracle	6.x	64-bit	6.0 GA
Microsoft x86	Windows 2000	32-bit	SAP Oracle	3.x	32-bit	6.0 GA
Microsoft x86	Windows 2000	32-bit	SAP Oracle	4.x	32-bit	6.0 GA
Microsoft x86	Windows 2000	32-bit	SAP Oracle	6.x	32-bit	6.0 GA
Microsoft x86	Windows 2003	32-bit	SAP Oracle	3.x	32-bit	6.0 GA
Microsoft x86	Windows 2003	32-bit	SAP Oracle	4.x	32-bit	6.0 GA
Microsoft x86	Windows 2003	32-bit	SAP Oracle	7.x	32-bit	6.0 MP2
Microsoft IA64	Windows 2003	64-bit	SAP Oracle	6.x	64-bit	6.0 GA
Microsoft IA64	Windows 2003	64-bit	SAP Oracle	7.x	64-bit	6.0 MP2
Microsoft x86	Windows 2003	32-bit	SAP Oracle	6.x	32-bit	6.0 GA
IBM	AIX5L (5.1)	32-bit	Sybase	ASE 12.0	32-bit	6.0 GA
IBM	AIX5L (5.1)	32-bit	Sybase	ASE 12.5	32-bit	6.0 GA
IBM	AIX5L (5.1)	64-bit	Sybase	ASE 12.5	32-bit	6.0 GA
IBM	AIX5L (5.1)	64-bit	Sybase	ASE 12.5	64-bit	6.0 GA
IBM	AIX5L (5.2)	32-bit	Sybase	ASE 12.5	32-bit	6.0 GA
IBM	AIX5L (5.2)	64-bit	Sybase	ASE 12.5	32-bit	6.0 GA
IBM	AIX5L (5.2)	64-bit	Sybase	ASE 12.5	64-bit	6.0 GA
IBM	AIX5L (5.2)	64-bit	Sybase	ASE 15.0	64-bit	6.0 MP3
IBM	AIX5L (5.3)	32-bit	Sybase	ASE 12.5	32-bit	6.0 GA
IBM	AIX5L (5.3)	64-bit	Sybase	ASE 12.5	32-bit	6.0 GA
IBM	AIX5L (5.3)	64-bit	Sybase	ASE 12.5	64-bit	6.0 GA
IBM	AIX5L (5.3)	64-bit	Sybase	ASE 15.0	64-bit	6.0 MP3
HP PA-RISC	HP-UX 11.0	32-bit	Sybase	ASE 11.9.2	32-bit	6.0 GA
HP PA-RISC	HP-UX 11.0	64-bit	Sybase	ASE 11.9.2	32-bit	6.0 GA
HP PA-RISC	HP-UX 11.0	32-bit	Sybase	ASE 12.0	32-bit	6.0 GA
HP PA-RISC	HP-UX 11.0	64-bit	Sybase	ASE 12.0	32-bit	6.0 GA
HP PA-RISC	HP-UX 11.0	32-bit	Sybase	ASE 12.5	32-bit	6.0 GA
HP PA-RISC	HP-UX 11.0	64-bit	Sybase	ASE 12.5	32-bit	6.0 GA
HP PA-RISC	HP-UX 11.0	64-bit	Sybase	ASE 12.5	64-bit	6.0 GA
HP PA-RISC	HP-UX 11.11	32-bit	Sybase	ASE 12.0	32-bit	6.0 GA
HP PA-RISC	HP-UX 11.11	64-bit	Sybase	ASE 12.0	64-bit	6.0 GA
HP PA-RISC	HP-UX 11.11	32-bit	Sybase	ASE 12.5	32-bit	6.0 GA
HP PA-RISC	HP-UX 11.11	64-bit	Sybase	ASE 12.5	64-bit	6.0 GA
HP PA-RISC	HP-UX 11.11	64-bit	Sybase	ASE 15.0	32-bit	6.0 MP3
HP PA-RISC	HP-UX 11.11	64-bit	Sybase	ASE 15.0	64-bit	6.0 MP3
HP PA-RISC	HP-UX 11.23	64-bit	Sybase	ASE 12.5	64-bit	6.0 MP3
HP PA-RISC	HP-UX 11.23	64-bit	Sybase	ASE 15.0	64-bit	6.0 MP3
SGI	IRIX 6.5.18	32-bit	Sybase	ASE 11.9.2	32-bit	6.0 GA
SGI	IRIX 6.5.18	64-bit	Sybase	ASE 11.9.2	32-bit	6.0 GA
SGI	IRIX 6.5.18	32-bit	Sybase	ASE 12.5	32-bit	6.0 GA
SGI	IRIX 6.5.18	64-bit	Sybase	ASE 12.5	64-bit	6.0 GA
SUN SPARC	Solaris 8	32-bit	Sybase	ASE 11.9.2	32-bit	6.0 GA
SUN SPARC	Solaris 8	64-bit	Sybase	ASE 11.9.2	32-bit	6.0 GA
SUN SPARC	Solaris 8	32-bit	Sybase	ASE 12.0	32-bit	6.0 GA
SUN SPARC	Solaris 8	64-bit	Sybase	ASE 12.0	32-bit	6.0 GA
SUN SPARC	Solaris 8	64-bit	Sybase	ASE 12.0	64-bit	6.0 GA
SUN SPARC	Solaris 8	32-bit	Sybase	ASE 12.5	32-bit	6.0 GA
SUN SPARC	Solaris 8	64-bit	Sybase	ASE 12.5	64-bit	6.0 GA
SUN SPARC	Solaris 9	32-bit	Sybase	ASE 12.0	32-bit	6.0 GA
SUN SPARC	Solaris 9	64-bit	Sybase	ASE 12.0	64-bit	6.0 GA
SUN SPARC	Solaris 9	32-bit	Sybase	ASE 12.5	32-bit	6.0 GA
SUN SPARC	Solaris 9	64-bit	Sybase	ASE 12.5	64-bit	6.0 GA
SUN SPARC	Solaris 10	64-bit	Sybase	ASE 12.5	32-bit	6.0 MP3
SUN SPARC	Solaris 10	64-bit	Sybase	ASE 12.5	64-bit	6.0 MP3
SUN SPARC	Solaris 10	64-bit	Sybase	ASE 15.0	32-bit	6.0 MP3
SUN SPARC	Solaris 10	64-bit	Sybase	ASE 15.0	64-bit	6.0 MP3
HP Tru64	Tru64 5.1 & 5.1a	64-bit	Sybase	ASE 12.0	64-bit	6.0 GA
HP Tru64	Tru64 5.1 & 5.1a	64-bit	Sybase	ASE 12.5	64-bit	6.0 GA
HP Tru64	Tru64 5.1b	64-bit	Sybase	ASE 12.0	64-bit	6.0 GA
HP Tru64	Tru64 5.1b	64-bit	Sybase	ASE 12.5	64-bit	6.0 GA
Microsoft x86	Windows 2000	32-bit	Sybase	ASE 11.9.2	32-bit	6.0 GA
Microsoft x86	Windows 2000	32-bit	Sybase	ASE 12.0	32-bit	6.0 GA
Microsoft x86	Windows 2000	32-bit	Sybase	ASE 12.5	32-bit	6.0 GA
IBM	AIX5L (5.1)	32-bit	XBSA Extensible Client	NetBackup 6.0 GA	32-bit	6.0 GA

VERITAS Database Agents Support for NetBackup 6.0, Date: 07/26/2006

Platform	Operating System	OS Bit	Agent	Version	DB Bit	Start of Support (see Reference)
IBM	AIX5L (5.1)	64-bit	XBSA Extensible Client	NetBackup 6.0 GA	32-bit	6.0 GA
IBM	AIX5L (5.1)	64-bit	XBSA Extensible Client	NetBackup 6.0 GA	64-bit	6.0 GA
IBM	AIX5L (5.2)	32-bit	XBSA Extensible Client	NetBackup 6.0 GA	32-bit	6.0 GA
IBM	AIX5L (5.2)	64-bit	XBSA Extensible Client	NetBackup 6.0 GA	32-bit	6.0 GA
IBM	AIX5L (5.2)	64-bit	XBSA Extensible Client	NetBackup 6.0 GA	64-bit	6.0 GA
IBM	AIX5L (5.3)	32-bit	XBSA Extensible Client	NetBackup 6.0 GA	32-bit	6.0 GA
IBM	AIX5L (5.3)	64-bit	XBSA Extensible Client	NetBackup 6.0 GA	32-bit	6.0 GA
IBM	AIX5L (5.3)	64-bit	XBSA Extensible Client	NetBackup 6.0 GA	64-bit	6.0 GA
HP PA-RISC	HP-UX 11i v2 (11.23)	64-bit	XBSA Extensible Client	NetBackup 6.0 GA	64-bit	6.0 GA
HP IA64	HP-UX 11i v2 (11.23)	64-bit	XBSA Extensible Client	NetBackup 6.0 GA	64-bit	6.0 GA
HP PA-RISC	HP-UX 11.0	32-bit	XBSA Extensible Client	NetBackup 6.0 GA	32-bit	6.0 GA
HP PA-RISC	HP-UX 11.0	64-bit	XBSA Extensible Client	NetBackup 6.0 GA	32-bit	6.0 GA
HP PA-RISC	HP-UX 11.0	64-bit	XBSA Extensible Client	NetBackup 6.0 GA	64-bit	6.0 GA
HP PA-RISC	HP-UX 11.11	32-bit	XBSA Extensible Client	NetBackup 6.0 GA	32-bit	6.0 GA
HP PA-RISC	HP-UX 11.11	64-bit	XBSA Extensible Client	NetBackup 6.0 GA	32-bit	6.0 GA
HP PA-RISC	HP-UX 11.11	64-bit	XBSA Extensible Client	NetBackup 6.0 GA	64-bit	6.0 GA
HP PA-RISC	HP-UX 11i v2 (11.23)	64-bit	XBSA Extensible Client	NetBackup 6.0 GA	64-bit	6.0 GA
SGI	IRIX 6.5.10; 6.5.11; 6.5.12	64-bit	XBSA Extensible Client	NetBackup 6.0 GA	64-bit	6.0 GA
LINUX x86	RedHat Enterprise AS/ES 2.1	32-bit	XBSA Extensible Client	NetBackup 6.0 GA	32-bit	6.0 GA
LINUX x86	RedHat Enterprise AS/ES 3.0	32-bit	XBSA Extensible Client	NetBackup 6.0 GA	32-bit	6.0 GA
LINUX IA64	RedHat Enterprise AS/ES 3.0	64-bit	XBSA Extensible Client	NetBackup 6.0 GA	64-bit	6.0 GA
LINUX AMD64/EM64T	RedHat Enterprise AS/ES 3.0	64-bit	XBSA Extensible Client	NetBackup 6.0 GA	64-bit	6.0 GA
LINUX x86	RedHat Enterprise AS/ES 4.0	32-bit	XBSA Extensible Client	NetBackup 6.0 GA	32-bit	6.0 GA
LINUX IA64	RedHat Enterprise AS/ES 4.0	64-bit	XBSA Extensible Client	NetBackup 6.0 GA	64-bit	6.0 GA
LINUX AMD64/EM64T	RedHat Enterprise AS/ES 4.0	64-bit	XBSA Extensible Client	NetBackup 6.0 GA	64-bit	6.0 GA
SUN SPARC	Solaris 8; 9 & 10	32-bit	XBSA Extensible Client	NetBackup 6.0 GA	32-bit	6.0 GA
SUN SPARC	Solaris 8; 9 & 10	64-bit	XBSA Extensible Client	NetBackup 6.0 GA	32-bit	6.0 GA
SUN SPARC	Solaris 8; 9 & 10	64-bit	XBSA Extensible Client	NetBackup 6.0 GA	64-bit	6.0 GA
LINUX x86	SuSE SLES 8	32-bit	XBSA Extensible Client	NetBackup 6.0 GA	32-bit	6.0 GA
LINUX IA64	SuSE SLES 8	64-bit	XBSA Extensible Client	NetBackup 6.0 GA	64-bit	6.0 GA
LINUX x86	SuSE SLES 9	32-bit	XBSA Extensible Client	NetBackup 6.0 GA	32-bit	6.0 GA
LINUX IA64	SuSE SLES 9	64-bit	XBSA Extensible Client	NetBackup 6.0 GA	64-bit	6.0 GA
LINUX AMD64/EM64T	SuSE SLES 9	64-bit	XBSA Extensible Client	NetBackup 6.0	64-bit	6.0 GA
HP Tru64	Tru64 5.1b	64-bit	XBSA Extensible Client	NetBackup 6.0 GA	64-bit	6.0 GA
Microsoft x86	Windows 2000	32-bit	XBSA Extensible Client	NetBackup 6.0 GA	32-bit	6.0 GA
Microsoft x86	Windows 2003	32-bit	XBSA Extensible Client	NetBackup 6.0 GA	32-bit	6.0 GA
Microsoft IA64	Windows 2003	64-bit	XBSA Extensible Client	NetBackup 6.0 GA	64-bit	6.0 GA
Microsoft AMD64/EM64T	Windows 2003	32-bit	XBSA Extensible Client	NetBackup 6.0 GA	32-bit	6.0 GA
Microsoft AMD64/EM64T	Windows 2003	64-bit	XBSA Extensible Client	NetBackup 6.0 GA	64-bit	6.0 MP2

Reference:

- 6.0 GA = Initial NetBackup 6.0 release September, 2005
- 6.0 MP1 = Maintenance Pack 1 released December, 2005
- 6.0 MP2 = Maintenance Pack 2 released March, 2006
- 6.0 MP3 = Maintenance Pack 3 released July, 2006

Supported IBM DB2 Versions:

Recommend using the latest DB2 FixPaks, or these minimum revisions (subject to change):

- DB2 V7.1.x FixPak 10a or later
- DB2 V7.2.x FixPak 10a or later
- DB2 V8.1.x FixPak 3 or later

Oracle Agent

- (1) Oracle provides support for AIX 5L in 32-bit Kernel mode; see Oracle Metalink document ID 231901.1

SAP Agent

SAP agent supports Oracle and MaxDB based environments.

- (1) For SAP on Oracle the "version" column indicates the version of SAP Kernel.

The NBU SAP agent protects SAP Oracle environments by integrating with SAP BR*Tools.

SAP BR*Tools are a component of the SAP Kernel.

- (2) For SAP on MaxDB the "version" column indicates the version of MaxDB.

SAP environments based on MS SQL or DB2 databases are supported via the Netbackup MS SQL and DB2 agents respectively

VERITAS Database Agents Support for NetBackup 6.0, Date: 07/26/2006						
Platform	Operating System	OS Bit	Agent	Version	DB Bit	Start of Support (see Reference)
Supported Microsoft Exchange, SQL Server and SharePoint Server						
All Service Pack updates of Windows, Exchange, SQL Server & SharePoint Portal Server are supported						
SQL Server						
(1) All SQL Server 2005 Editions are supported, except the Mobile Edition.						
(2) SQL Server 2000 (32-bit) on Windows 2003 x86-64 requires Microsoft SQL Server 2000 hotfix: http://support.microsoft.com/?kbid=913100						
(3) SharePoint 2003 SP2 use of SQL Server 2005 is not yet supported; planned for 6.0 MP5						
Lotus Notes						
(1) Domino 6.x is not supported for 32 bit kernel of Solaris. Refer to Domino Release Notes for details.						